• • • •	S/11/20 : CIA-RDP78T05929A002500050024-3 SECRET	25 X 1		
(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER				
	Attachment to 5 June 1967	25X1		
	Page <u>1</u> Copy <u>58</u>			
REFERENCE TO:	LAUNCH AREA 1C	25X1		
	YAR/VLADIMIROVKA MISSILE TEST CENTER USSR			
1. SIGNIFICANCE:	IDENTIFICATION OF A POSSIBLE LAUNCH STAND AT PAD			
	1C-1 AND DISCOLORATION OF PADS 1C-1 AND 1C-3.			
2. LOCATION:	LAUNCH COMPLEX "C" IS LOCATED 21 NM EAST OF			
	KAPUSTIN YAR.			
3. REMARKS:	LAUNCH AREA 1C IS BELIEVED TO BE ASSOCIATED WITH			
	THE KAPUSTIN YAR MISSILE TEST CENTER COSMOS			
	LAUNCHES. THIS LAUNCH AREA IS LOCATED 1.6 NM			
	NORTHEAST OF THE COMPLEX "C" OPERATIONS AREA.			
	IT CONSISTED OF A ROAD-SERVED, DOUBLE-FENCED			
	LAUNCH PAD IN	25X1		
	CONSTRUCTION WAS STARTED ON LAUNCH PAD 1C-2 AND			
	1C-3 IN AND APPARENTLY CON-	.25X1		
	CLUDED BY	25X1		
¹ ₄ . <u>COLLATERAL</u> :	NONE			
5. FIRST IDENTIFICATION:		25X1		
should be restricted to the particular briefing	g purposes only and should not be used for detailed analytical work. Their use board(s) they were prepared for and must be considered valid only for the ressue. For information concerning these notes contact Chief, Collateral Support	25X1		
GROUP Excluded from automotic dawngrading and declassification	SECRET			

		3/11/20 : CIA-RDP78T05929A002500050024-3 SECRET	2 5 ×1	
	(c) NATIONAL PHO	TOGRAPHIC INTERPRETATION CENTER		
		Attachment to 5 June 1967	25X1	
		Page 2		
6.	NEGATION DATE:	NONE		
7.	SUBSEQUENT COVERAGE:	1 TALENT, 29 KH-4, 8 KH-7	25X1	
8.	DIMENSIONS/ SPECIFICATIONS:	CYLINDER/ERECTOR (1C-2)		
		LENGTH: 80 FT (APPROX)		
		CYLINDRICAL OBJECT (1C-3)		
		LENGTH:	25X1	
		WIDTH:		
9.	MISSION READOUT:	LAUNCH AREA LC ONE PROBABLE CRANE AND ONE		
	UNIDENTIFIED VEHICLE ARE	LOCATED AT LAUNCH PAD 1C-1. A POSSIBLE LAUNCH		
	STAND IS AT THE LAUNCH PO	DINT AND THE SURROUNDING PAD IS DISCOLORED. A		
	RAIL-SERVED CYLINDER/EREC	TOR APPROXIMATELY 80 FT LONG REMAINS ON PAD 1C-2.		
	A CYLINDRICAL OBJECT APPR	ROXIMATELY IS POSITIONED	25X1	
	AT AN ANGLE ON PAD 1C-3 N	TEAR THE LAUNCH POINT. THIS CYLINDER IS ALIGNED		
	AT APPROXIMATELY 90 DEGRE	EES OR APPROXIMATELY 45 DEGREES FROM THE RAIL AND		
	ROAD APPROACH TO THE PAD.	. A LARGE AREA OF DISCOLORATION OR BURN SCAR IS		
	ALSO ON THIS PAD.			
			25X1	
	should be restricted to the particular briefing	ng purposes only and should not be used for detailed analytical work. Their use board(s) they were prepared for and must be considered valid only for the resissue. For information concerning these notes contact Chief, Collateral Support	_	
			25X1	
TOP SECRET				



